

Materials and Surface Finish

Part		Materials	Surface finish
Bench top	Surfacing	Melamine board	—
	Core material	MDF	—
Legs (end leg, middle leg, support)	Leg frame, corbel	Steel	Baking finish
Leveler	Main body	Steel	Plated
Cushion	Main body	Polyester	—


* Please understand that product specifications might change without prior notification due to improvements made to the product.

Creative Furniture

Alt Piazza Series

[Tiered bench, Flat bench]

Instructions for Use



okamura

OKAMURA CORPORATION

INTERNATIONAL SALES & MARKETING DIVISION
2-14-27, Akasaka, Minato-ku, Tokyo 107-0052, JAPAN
Tel : +81-3-5561-4085 Fax : +81-3-5561-4086
<http://www.okamura.jp/>

GTA260
2019-02

okamura


Safety Instructions (Make sure to follow these instructions)



User must follow this instruction to prevent accidents and injuries, or damages to their property.

Instruction on caution label


- The caution label shown on the right is attached on this product to avoid safety hazards or damage to the user's life, body, and property. Use this product observing the written cautions.
- Do not tear, damage, erase words of, or remove the label.



Caution

Do not handle roughly, or use improperly. It may cause injury or damage to the product.

- Do not climb on or jump off this product. Do not use this product as a carrier. Doing so may cause injury or damage to the product.



Stop using the product as soon as any abnormal condition is detected. Failure to do so may cause injury or damage to the product.

- Be sure to tighten loose bolts and screws as they may cause damage to the product.
- Do not use the product with any part loose or missing. Doing so may cause injury or damage to the product.
- Please contact our official dealer if any abnormal condition is detected.

Do not disassemble or repair on your own.

- Do not attempt to disassemble or repair the product yourself. Please contact our official dealers when needed.
- Do not use with bolts and screws loosen. It may cause damage to the product and result in injury.


Do not put your fingers or hands into the spaces of the product. Your fingers or hands may get caught.

Do not modify on your own. This leads to malfunction or accident.

- Modifying the product by yourself may cause the product to malfunction. Okamura is not responsible for any damages caused by modification.
- Please contact an official Okamura dealer in advance when the product requires any modifications.

Do not use the seat cushions in an unsettled position as doing so may cause you to fall.

- Place the seat cushions in the center of bench seat. Using the seat cushions in an unsettled position such as on the seat front edge may cause you to fall, resulting in injury.



Observe the following when moving or storing the product.

- When placing more than one product adjacent to each other, they should be connected or use the dedicated spacer. Failure to do so may cause your fingers to get in the product, resulting in injury.

Installation

Please follow instructions below.


Failure to do so may cause serious damage to the product and Okamura will have no responsibility for any disadvantages.

Use the product indoors.


- Do not use outdoors or near water. It may cause warping or mold.

Do not expose the product to direct sunlight. It causes distortion or discoloration of the product.

- Always use curtains, blinds, or the like to protect the product from direct sunlight when placing it next to windows or the like.



Do not place the product under a heater or air-conditioner exhausting high temperature air.



Avoid high temperature, high humidity, or extraordinary aridity.

Place the product on a horizontal surface.

- Be sure to place the product on a horizontal surface. Failure to do so may cause deformation of the product.
- Use the leveler to keep the product horizontal to the floor surface.

Be sure to lift up and move the product with more than two people.

- Lift up the product by holding the edges of both ends.


Do not move the product by dragging it.

Appropriate Ventilation Measures


- Many chemical substances will be released by the product when it is first purchased. Sufficiently ventilate or expose the product to moving air for some time after purchasing it.
- Do not completely close windows when using the product in rooms with conspicuously high temperatures/humidity (the benchmarks for these are temperatures in excess of 28° C (82.4° F) and relative humidity in excess of 50%).

Part Names


• Straight bench




• Curved bench




• Straight tiered




• Inner curved tiered bench



• Straight tiered 2 Seater




• Outer curved tiered bench




Part Names


• Curved tiered bench set S 3 Seater




• O-shape bench set




• Curved tiered bench set M 6 Seater



• Straight bench



• Curved tiered bench set L 8 Seater




Operation Guide

■ Leg adjustment

Use the leveler for the legs to keep the bench horizontal to the floor surface if it wobbles due to uneven floor surfaces.

⚠ Caution

When using the leveler, ensure that more than two people provide rigid support using extreme caution.




■ Bench layout

When placing more than one product adjacent to each other, they should be connected or use the dedicated spacer.

If you want to connect a tiered bench to another in S-shaped arrangement as shown below, be sure to use the dedicated spacer.

· Spacer MB815Z-Z25 (black), ZA75 (white)

* For details, consult our official dealer.




■ Seat cushion (optional)

- Felt seat cushions with an anti-slip bottom are available.
- Do not use the seat cushions in an unsettled position.
- Do not bend the seat cushion. Folding damages the material.

* For details, consult our official dealer.

■ Magnetic vertical wiring duct (optional)

Attach the magnetic vertical wiring duct to the inner-facing side of a leg. The wiring duct can be attached to the end leg or the middle leg.



Instructions to Extend the Life of Product

Please follow instructions below. Failure to do so may cause serious damage to the product and Okamura will have no responsibility for any damages.

Operating Precautions and Maintenance

- If liquid is spilled on the product, wipe it off immediately.
 - The surface may discolor, deteriorate, or get damaged by using alcohol, thinner, benzene, etc.
- Some products may have a noticeable wood smell. Ventilation on a regular basis is recommended.
- Tighten loose bolts and screws on a regular basis.
- If the product is found unstable due to loose bolts or screws, retighten them as soon as possible.
- This instruction manual is very important, so store it in an easily accessible location.
- Regular maintenance is recommended for long product life. Make requests to us immediately when a repair or inspection is needed (fees required after expiration of warranty).

For daily care

Wooden part

- Wipe gently along the grain with a soft, clean, dry cloth.
- If the product becomes noticeably dirty, remove the dirt using a soft cloth dampened with water, then use a dry cloth to absorb water residue.
- For a more thorough cleaning we recommend using a mild cleaner (thin neutral detergent).
<Caution>
- Do not use the following as they may damage the coating.
 - ◎ Thinner, benzene, alcohol, lacquer, oil, vinegar, boiling water, polisher, etc.
- Frequent wiping with a damp cloth may cause cracking of the coating. It is recommended to use a dry soft cloth or our wiping cloths for daily care.

Resin part

- Wipe off with a soft cloth dampened with water.
- When it gets dirty, moisten the cloth with thin neutral detergent and squeeze it hard to wipe. Wipe clean with a damp cloth. Be sure to wipe detergent completely and wipe again with a dry cloth to dry it.

Steel part

- Wipe off with a dry soft clean cloth.
- If moisture is collected or substances such as fingerprints or sebum are adhered, wipe it off immediately. Leaving moisture, liquid, fingerprints, or sebum on the surface accelerates oxidation of the steel part and deteriorates gloss and texture.

Cloth part/Mesh part

- Brush with a soft brush or tap the surface softly and vacuum to remove dust to avoid damaging the cloth.
- When it gets dirty after extended period of time, wipe with a well wrung soft cloth moistened with thin neutral detergent. Wipe clean with a damp cloth. Be sure to wipe detergent completely and wipe again with a dry cloth to dry it.
- When using alkaline electrolyzed water to remove stains, spray directly on the stain and brush with a soft brush taking care not to damage the cloth. Then, wipe the moisture and stain to remove and wait for the cloth to dry.
- When it gets an oily stain, dab and remove it by using a dedicated stain remover immediately. Then wipe with a soft cloth dampened with water, followed by a dry cloth to dry. Stains may be permanent depending on the material.