


drape

Spec Guide

Issued January 2023



drape

Booth type



Tri



Tetra



Penta



Meeting Booth

Panel Height



1520H(59 13/16")



1920H(75 9/16")

Table top Orientation



Right



Left

Table top Height



720H(28 3/8")



1000H(39 3/8")

mm (inch)

Product Code

Table top 720H (28 3/8")

Booth Type		Tri		Tetra		Meeting Booth	
Panel	Panel Height Table top Height						
	Table top Orientation	Right 	Left 	Right 	Left 	Right 	
	Code	1520H(59 13/16")	4WA11CN		4WA12CN	4WA12DN	4WA17CN
	1920H(75 9/16")	4WA11EN		4WA12EN	4WA12FN	4WA17EN	
Table top - Code		4WA21AN	4WA21BN	4WA21AN	4WA21BN	4WA2GGN (Table)	

Table top 1000H (39 3/8")


Booth Type		Tri		Tetra		Penta	
Panel	Panel Height Table top Height						
	Table top Orientation	Right 	Left 	Right 	Left 	Right 	Left
	Code	1920H(75 9/16")	4WA11EN		4WA12EN	4WA12FN	4WA13EN
Table top - Code		4WA21AN	4WA21BN	4WA21AN	4WA21BN	4WA23AN	4WA23BN

The code for the left type and right type of Tri and Penta is the same. Variation with 1920(75 9/16") high panels would need lighting on the desk or from the ceiling. We recommend using a non-swivel chair for Tetra and Penta.

< Common specifications > Panel : Sheet metal with levelers, Surface : Fabric or Felt, Sound absorbent material : Glass-wool, Tabletop : Laminated work surface, Wire management tray : Powder coated steel

Product Code (Option)

Vertical Wiring Duct




Z606 (Skip Gray)


For Tri/Tetra	720H(28 3/8")	4WAY1YN-Z606
	1000H(39 3/8")	4WAY2YN-Z606
For Penta	1000H(39 3/8")	4WAY3YN-Z606
For Meeting Booth	Sofa type	4WAY7YN-Z606

< Common specifications > Vertical wiring duct : Powder coated steel

Sofa (Meeting Booth)



MS60BDN-FN



Monitor Mounting Brackets (Meeting Booth)



4W2N3YN-ZA75/ZK25


Supported monitors: 30 to 43 inches, 15 kg or less, mounting pitch (height/width) 100 (3 15/16") or 200 (7 7/8"), flat without convexity on the back, mounting screws to be ordered separately

Table top wiring cover (Meeting Booth)



3Y90ACN-G721/G975

G721 (Black) / G975 (White)







mm(inch)

Power Accessory (North American model)




A power unit can be attached underneath the tabletop at your preferred location.

Configuration	Color	Code
 2 Power 1 Dual USB charger w/72" 90 degree plug cord	Black	MMD3BA-Y708
	White	MMD3BA-Y707
 3 Power w/72" 90 degree plug cord	Black	MMD3BB-Y708
	White	MMD3BB-Y707
Configuration	Color	Code
 2 10W USB A Ports w/72" power supply cord with a barrel connector	Black	MMD2CA-Y708
	White	MMD2CA-Y707
 10W USB A Ports 15W USB C Ports w/72" power supply cord with a barrel connector	Black	MMD2CB-Y708
	White	MMD2CB-Y707

There is a 1/2" gap between the bottom of the panel and the floor allowing enough room for a cable to pass through.

*For North American Market Only

Wall Light (North American model)



The optional lighting is soft on the eyes yet strong enough to aid your work. The wall light is available with downlight only or with both uplight and downlight.

ZA75 (Neo White), ZK25 (Black)

Lighting Fixture	Uplight & Downlight kit(Daisy-chained)	4WAZYYN-Y647
	Downlight kit(Stand-alone)	4WAZZYN-Y647
Bracket	For Tri/Tetra	4WA91AN-ZA75/ZK25
	For Penta	4WA91CN-ZA75/ZK25

<Common specifications>Bracket : Powder coated steel, Vertical wiring duct : Powder coated steel

<Light specifications>Power consumption : 5.0W(Stand-alone) 9.4W(Daisy-chained)
Color temperature : 3500k Color rendering index : 85 Switch : Capacitive touch sensor
(Master control for Daisy-chained kit)Brightness adjustability : 100%-15% continuous;
w/last state memory(when powered)Automatic turn off : after 12 hours(±15 mins.)
Certifications : ETL listed(UL153 & CSA C22.2 No.250.4, FCC Part 15 Class B, CEC Title20)



















*Please prepare a power outlet below the tabletop

*For North American Market Only



















Color Variations

Panel

Felt FLZ

Outside	 FJY0	 FJY1	 FJY3	 FJY4	 FJY5	 FJY6	 FJY7	 FJY8
Inside	 FLZ0 FJY2 Beige / Light Gray	 FLZ1 FJY2 Dark Brown / Light Gray	 FLZ3 FJY2 Gray / Light Gray	 FLZ4 FJY2 Dark Gray / Light Gray	 FLZ5 FJY2 Indigo / Light Gray	 FLZ6 FJY2 Sage / Light Gray	 FLZ7 FJY2 Green / Light Gray	 FLZ8 FJY2 Yellow / Light Gray
Outside	 FJY9							
Inside	 FLZ9 FJY2 Orange Red / Light Gray							


Interlock FNV

Outside	 FXT3	 FXT1	 FXT0	 FXT4	 FXT9	 FXT5	 FXT7	 FXT6
Inside	 FNV3 FXT2 Dark Brown / Beige	 FNV1 FXT2 Gray / Beige	 FNV0 FXT2 Dark Gray / Beige	 FNV4 FXT2 Indigo / Beige	 FNV9 FXT2 Sage / Beige	 FNV5 FXT2 Dark Green / Beige	 FNV7 FXT2 Yellow / Beige	 FNV6 FXT2 Terracotta / Beige
Outside	 FXT8							
Inside	 FNV8 FXT2 Pale Pink / Beige							

The inside fabric comes with gray or beige, and the outer side is available with 18 beautiful contrasting colors. A single color fabric option is also available upon request.

Color Variations

Table top



MG99
White
(MG07+G939)




MX61
Prize Wood Light
(MX51+GE21)









MX62
Prize Wood Medium
(MX52+GE22)



MX63
Prize Wood Dark
(MX53+GE23)



Combination specifications M□□□

		Table top			
					
		MG99 (White)	MX61* (Prize Wood Light)	MX62* (Prize Wood Medium)	MX63* (Prize Wood Dark)
Bracket and Leg		Combination Code			
	ZK25 (Black)	MHE6	MHV3	MHV4	MHV5
	ZA75 (White)	MK27	MU03	MU04	MU05

*Anti-fingerprint laminate surface provides resistance to fingerprints and easily wipes clean.

Sofa (Back and Seat)

Interlock




FXW2
Beige




FXW3
Dark Brown




FXW1
Gray




FXW0
Dark Gray



FXW4
Indigo




FXW9
Sage




FXW5
Dark Green



FXW7
Yellow
















FXW6
Terracotta




FXW8
Pale Pink

Performance Flammability : CA TB117-2013-PASS
Abrasion : EN ISO 12947/70,000 Rubs (Martindale method)
ASTM D4157-10/100,000 Double Rubs (Wizenbeek method)

Combination specifications FN□□

		Back and Seat									
											
		FXW2 (Beige)	FXW3 (Dark Brown)	FXW1 (Gray)	FXW0 (Dark Gray)	FXW4 (Indigo)	FXW9 (Sage)	FXW5 (Dark Green)	FXW7 (Yellow)	FXW6 (Terracotta)	FXW8 (Pale Pink)
Leg		Combination Code									
	A48 (Polished)	FNT2	FNT3	FNT1	FNT0	FNT4	FNT9	FNT5	FNT7	FNT6	FNT8
	Z25 (Black)	FND2	FND3	FND1	FND0	FND4	FND9	FND5	FND7	FND6	FND8
	ZA75 (Neo White)	FNS2	FNS3	FNS1	FNS0	FNS4	FNS9	FNS5	FNS7	FNS6	FNS8



mm(inch)