

# Sabrina

## Sabrina. Beauty at work.

Sabrina embodies Okamura's philosophy of design, in which beauty and comfort work together to create lasting trust and confidence. The iconic flexible ring structure creates a striking and streamlined visual. The chair supports your posture, flexing to follow every movement. Lean back, stretch, reach — Sabrina accommodates every movement in a way that feels natural. So you can work effortlessly.

Standard

Smart Operation





Setting the standard for comfort. Sabrina Standard's Synchro reclining mechanism moves in sync with you - when you move in the chair, the backrest and seat move backwards or forwards accordingly - supporting to your body at all times.



Sabrina Smart Operation

An upgrade of the standard. Intuitive armrest controls and an Ankle-Tilt Reclining mechanism which naturally distributes body weight make for all-day wellbeing and comfort.

## The Iconic Sabrina Ring Structure

Superlative technology, in a shapely appearance. The inner frame embraces you as you sit, while the outer frames fan out, allowing for your body to bend effortlessly to the left and right. As you move, air flows through the strong, flexible mesh, adding a sense of lightness and comfort.





## Designed by GIUGUARO



## Standard





Seat Height Adjustment

A lever under the seat adjusts seat height in the range

of 400 mm-530mm.



Reclining Tension Adjustment

A dial under the seat adjusts the reclining tension.



Reclining Lock and Tilt Adjustment

A dial under the seat locks and unlocks the reclining function and allows you to enter forward-tilt position that comes in useful when working at computers or




#### Synchro Reclining

The chair's backrest and seat can be synchronously reclined at maximum angles of 23 degrees backward and 10 degrees forward.



Seat Depth Adjustment

A lever under the seat adjusts seat depth within a range of



**FUNCTIONS** 

#### Adjustable Arms

Arms can be adjusted in three dimensions: height, depth, and angle — enabling the most comfortable elbow support for a variety of tasks.



#### **Multiple Density Cushion**

The cushion utilizes three types of urethane foam, of varying firmness layered together, to promote healthy sitting. Softer support is at the front of the seat, reducing pressure on the thighs for improved circulation; denser cushioning at the back firmly supports the hips for stability and improved posture.

f 8


## Smart Operation

#### **FUNCTIONS**

#### **Smart Operation** -

 $\label{prop:continuous} Adjust your entire seating experience with a touch of your fingertips.$ 






Seat Height Adjustment

A lever in the right armrest adjusts chair height, within a range of 390 to 520 mm.






**Reclining Tension Adjustment** 

A lever in the left armrest locks and unlocks the backrest.



Seat Depth Adjustment

A lever under the seat adjusts seat depth within a range of



**Adjustable Arms** 

Arms can be adjusted in four dimensions: height, depth, width, and angle — enabling the most comfortable elbow support for a variety of tasks.



**Quick Slide Operation** 

A lever under the seat adjusts reclining tension.



#### **Ankle-Tilt Reclining**

The ankle-tilt mechanism enables anyone to find his or her most comfortable reclining position. Using the ankle as a pivot point, this mechanism moves in sync with the user, for greater support — stimulating variation in posture and relaxation, with uninterrupted comfort.



### **Multiple Density Cushion**


The cushion utilizes three types of urethane foam, of varying firmness layered together, to promote healthy sitting. Softer support is at the front of the seat, reducing pressure on the thighs for improved circulation; denser cushioning at the back firmly supports the hips for stability and improved posture.







1<del>4</del>





Sabrina Smart Operation

Office Scene

Sabrina Smart Operation

**Executive Scene** 

#### **SPECIFICATIONS**

#### Standard



Body Colors





High Back



No Arms





#### Retro-fit Options

Leg Types















Fixed Arms Adjustable Arms

Smart Operation

Back Types

Body Colors





High Back









#### Retro-fit Options

Headrest




Lumbar Support






#### **Color Variations**







Lime Green FSY5 (FSP5+FSF5)

Light Gray FSZ3 (FSR3+FSG3)








FSZ4 (FSR4+FSG4)

Orange

(FSR8+FSG8)


FSZ8





Medium Blue

FSY3



Blue Green FSY4 (FSP4+FSF4) FSZ6



Dark Brown Beige FSY7 (FSP7+FSF7) FSY8 (FSP8+FSF8)

#### Dimensions

FSZ5

(FSR5+FSG5)

	Standard	Smart Operation
High Back	650(Armrest) 520(Seat) 495(Backrest) 495(Bac	695(Armrest) 535(Seat) 495(Backrest) 400-450 400-450 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700 68700
Extra High Back	### Adjustable Armrest with Hanger and Lumber Support	695(Armrest)   535(Seat)   570-620   495(Backrest)   400-450   495(Backrest)   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-450   400-4

All dimensions shown are for BIFMA models.

#### Awards & Certification

#### Standard





#### **Smart Operation**









#### **Ecology**

Okamura uses environmentally friendly materials and modular designed parts. Major resin parts are labeled for easier recycling and disposal.

Designed for disassembly and recycling PET recycled fabric Designed for longevity and durability Positive use of recycled resin







OKAMURA CORPORATION International Sales & Marketing Div. 2-14-27, Akasaka, Minato-ku, Tokyo 107-0052, JAPAN Tel: +81-3-5561-4085 Fax: +81-3-5561-4086 http://www.okamura.jp/